



CARACTERÍSTICAS CLÍNICA, SOCIAIS E EPIDEMIOLÓGICAS DE PESSOAS ACOMETIDAS POR HIV/AIDS

Nathália Araújo da Nóbrega¹, José Justino Filho²

RESUMO

Objetivo: delinear as características clínica, social e epidemiológica de indivíduos acometidos por HIV/AIDS. **Métodos:** Trata-se de um estudo descritivo, com abordagem quantitativa realizada em uma ala de infectologia de um Hospital Universitário no Nordeste do Brasil com pacientes internados no setor. A amostra da pesquisa foi composta por 20 pacientes. Foram adotados os seguintes critérios para a escolha das participantes do estudo: estar hospitalizado na clínica no momento da coleta de dados e ser maior de 18 anos de idade. **Resultados:** Observou-se que a maioria dos pesquisados eram do sexo feminino, solteira (50%), analfabetas (45%), com faixa etária de 15 a 25 anos (50%) e renda salarial de um salário mínimo (55%). Dentro dos aspectos epidemiológicos: (75%) realizaram o seu teste de HIV com soropositividade há alguns anos; (75%) tendo um bom tempo de diagnóstico; (50%) consideraram sua condição de saúde como boa; (75%) tiveram nos últimos seis meses algum tipo de comorbidades secundária e todos tem acesso ao tratamento. Em se tratando das variáveis clínica: a causa de admissão na unidade está a febre noturna; apresentaram reações adversas como náuseas, vômitos e alucinações frente à terapia com antirretrovirais; permanecendo seis meses na clínica. **Conclusão:** Frente à gravidade da enfermidade, faz-se necessário a implantação de medidas preventivas a partir do conhecimento das necessidades sociais de cada indivíduo. **Palavras-chave:** Síndrome de Imunodeficiência Adquirida. HIV. Perfil de Saúde.

ABSTRACT

Objective: to delineate the clinical, epidemiological and social characteristics of individuals affected by hiv / aids. **Methods:** this was a descriptive study with a quantitative approach performed in a infectious disease ward of a university hospital in northeastern brazil with inpatients in the industry. The research sample consisted of 20 patients. The following criteria for selection of the study participants were adopted: to be hospitalized in the clinic at the time of data collection and be 18 years of age. **Results:** it was observed that the majority of respondents were female, unmarried sex (50%), illiterate (45%), aged 15-25 years (50%) and wage income of a minimum wage (55%). within the epidemiological aspects: (75%) held their hiv test with seropositivity will be a few years; (75%) having a good time of diagnosis; (50%) consider their health status as good; (75%) had in the last six messes some kind of secondary comorbidities and everyone has access to treatment. In terms of clinical variables: a cause of admission to the unit is night fever; experienced adverse reactions such as nausea, vomiting and hallucinations front of antiretroviral therapy; remaining six messes in the clinic. **Conclusion:** considering the severity of the disease, it is necessary to implement preventive measures will be based on knowledge of social needs of each individual **Keywords:** Acquired Immunodeficiency Syndrome; HIV; Health Profile.

¹ Discente do Curso bacharelado em Enfermagem, UFCCG, *Campus* Cuité, PB, Brasil.

²Professor Doutor do Curso Bacharelado em Enfermagem, UFCCG, *Campus*, Cuité, PB, Brasil