



LEVANTAMENTO E AVALIAÇÃO DAS PRESCRIÇÕES E DISPENSAÇÃO DE PSICOTRÓPICOS NA FARMÁCIA BÁSICA DO MUNICÍPIO DE PICUÍ-PB.

Monike Ellen Caetano Gomes¹, Fernando de Sousa Oliveira²

RESUMO

Atualmente, os psicofármacos são responsáveis por constituir uma estratégia terapêutica essencial, sendo utilizados em larga escala no Brasil e no mundo, tendo em vista que os transtornos mentais afetam cerca de uma em cada dez pessoas em todo o mundo. Esses fármacos são tidos como compostos que produzem alterações no sistema nervoso central, que visam produzir alterações nos pensamentos, emoções e percepções. Tais medicamentos podem provocar um alto risco de dependência. Sendo assim, o objetivo desse estudo foi avaliar a prescrição e dispensação de psicofármacos na farmácia básica de Picuí-PB. Essa pesquisa corresponde a um estudo transversal, quantitativo e do tipo descritivo, cujo seguimento amostral foram os usuários de psicotrópicos. A coleta dos dados se deu de novembro de 2018 a maio de 2019. Foram entrevistados 100 usuários de psicotrópicos. Observou-se a prevalência do sexo feminino, adultos e casados. Os psicotrópicos mais prescritos foram clonazepam, fluoxetina e diazepam. Foram encontradas 20 interações medicamentosas e verificada a presença de pelo menos um medicamento potencialmente inapropriado nas prescrições dos idosos. De todas as 100 prescrições 17 apresentaram alguma inconformidade. Contudo, observa-se um uso indiscriminado de psicotrópicos, sendo necessário a sensibilização dos profissionais prescritores frente a utilização desses fármacos.

Palavras-chave: Perfil, Psicofármacos, Prescrição.

¹Aluna do curso de Farmácia da Universidade Federal de Campina Grande, UFCG, Cuité, PB, e-mail: monikefarmácia.caetano@gmail.com

²Doutor, docente do Centro de Educação e Saúde da Universidade Federal de Campina Grande, UFCG, Cuité, PB, e-mail: fernandoufcg@hotmail.com



***SURVEY AND ASSESSMENT OF REQUIREMENTS AND DISPENSATION
OF PSYCHOTROPICS IN THE BASIC PHARMACY OF PICUÍ-PB***

ABSTRACT

Currently, psychotropic drugs are responsible for constituting an essential therapeutic strategy, being widely used in Brazil and worldwide, considering that mental disorders affect about one in ten people worldwide. These drugs are considered compounds that produce alterations in the central nervous system, which aim to produce alterations in thoughts, emotions and perceptions. Such medications may carry a high risk of addiction. Thus, the aim of this study was to evaluate the prescription and dispensation of psychotropic drugs in the basic pharmacy of Picuí-PB. This research corresponds to a cross-sectional, quantitative and descriptive study, whose sample follow-up was psychotropic users. Data were collected from November 2018 to May 2019. One hundred psychotropic users were interviewed. The prevalence of females, adults and married was observed. The most prescribed psychotropics were clonazepam, fluoxetine and diazepam. Twenty drug interactions were found and the presence of at least one potentially inappropriate drug was found in the prescriptions of the elderly. Of all 100 prescriptions 17 showed some non-compliance. However, there is an indiscriminate use of psychotropics, requiring the awareness of prescribing professionals regarding the use of these drugs.

Keywords: Profile, Psychopharmaceuticals, Prescription.